

Copper Spray

Description

Copper-coloured release agent and lubricant in aerosol form for machine elements which are subjected to high thermal stress. Especially suitable for easy and problem-free dismantling after long periods of operation.

Properties

- eliminates squeaks
- long-term corrosion protection
- resistant to hot water, salt water and splash water
- prevents transmission of vibration
- universal application
- protects from welding and seizing
- lubricant and release effect
- high bond strength
- resistant to acceleration forces
- outstanding thermal stability

Technical data

Color / appearance	nicht bestimmt
Base	Mineralöl. Polymergemisch, Metallpigmente
Metal pigment	Kupfer / copper
Propellant	DME (Dimethylether)
Operating temperature range	-30 bis +1100 / -30 to +1100 °C
Form	flüssig, aerosol / liquid, aerosol
Odor	charakteristisch / characterisitc

Areas of application

Specially developed for damping noise and for repair of all brake systems (such as disc brakes and drum brakes). Corrosion protection and lubrication of components (such as hinges, joints and screws etc.). Lubrication and prevention of welds; seizing of components subjected to high thermal loading due to burning and erosion (such as the exhaust, heat exchangers, boilers, turbines and fitting etc.).

* Please follow the manufacturer's advice with regard to products which contain copper.

Application

Brakes

Clean components which are to be treated, such as the back of brake shoes, mounting surfaces and fasteners. Apply an appropriate amount of copper spray.



Repairs and preventive maintenance

Clean parts which are to be treated and apply an appropriate amount of copper spray according to the maintenance instructions.

Handling the aerosol can

Before using, shake can vigorously until the balls have worked free. After use, clear the nozzle by spraying the can while inverted.

Available pack sizes

250 ml Can aerosol	1520 D-GB-I-E-P
250 ml Can aerosol	1824 D-NL-F-GR-ARAB
250 ml Can aerosol	2864 GB-DK-FIN-N-S
250 ml Can aerosol	3970 D-RUS-PL

Our information is based on thorough research and may be considered reliable, although not legally binding.