Product information

Radiator Cleaner



Description

A concentrate specially developed for cooling systems in general but particularly those in motor vehicles. Dissolves contaminants containing lime and oil in radiators, heating systems, pipes and in engines. Modern formula containing complexants with active cleaning agents.



Properties

- does not contain acids or alkalis

- disperses sludge

removes oil and grease residueschemical conversion of lime

- neutralizes acids

- neutral behavior in contact with rubber and plastics

- compatible with antifreezes

Technical data

Form flüssig / liquid Color / appearance hellgelb / light yellow Hazard class as per Gerkeine / none man VbF ~8.7 pH value mischbar / mixable Solubility in water Odor charakteristisch / characteristic Density at 20 °C 1,029 g/cm³

Areas of application

Suitable for all cooling water systems in motor vehicles, buses and commercial vehicles.

Application

Add contents to the cooling water. Run the heating system. Depending on the degree of contamination let the engine run approximately 10 to 30 minutes. Drain the cleaner and flush out the cooling system with water. Fill the cooling system according to the manufacturer's instructions. The content (300 ml) is sufficient for 10 litres of water.

Available pack sizes

300 ml Can sheet metal 3320 D-F-NL 300 ml Can sheet metal 2506 D-E-P 300 ml Can sheet metal 2829 DK/N-S-FIN 300 ml Can sheet metal 1804 GB-GR-I 300 ml Can sheet metal 2699 D-PL-BG 300 ml Can sheet metal 8369 GB-ARAB-F 300 ml Can sheet metal 2051 GB-F-E-USA-CAN 8383 300 ml Can sheet metal D-H-RO 1994 300 ml Can sheet metal D-RUS-UA 300 ml Can sheet metal 20805 SLO-SRB-HR

Our information is based on thorough research and may be considered reliable, although not legally binding.

20876

ΙP

300 ml Can sheet metal